

Version No : FZ J X-06-604-EN-A

[Brand and Product line : AUMAN]

[Country : AUMAN EV]



AUMAN

Warranty ManuaManual

e AUMAN



目录

Part I	Users Notice	2
Part II	Basic information VEHICLE DATA	3-6
Part III	Introduction to Foton Service System	7
Part IV	Safety Precautions	8
Part V	Warranty Policies and Ranges	9-13
Part VI	Maintenance Regulation	14-34
Part VII	Periodic Maintenance List	35-56
Part VIII	XXXX Service Network	57

Part I Users Notice

Dear customer:

Thank you for purchasing the Foton Aumark vehicle! In order to maximize the service life of the vehicle, please pay attention to the following matters:

- Please carefully read the Operation Manual and this manual after you purchase the vehicle.
- Please be sure to carry out the first run-in maintenance and regular maintenances. Otherwise, you are deemed as waiving the warranty right.
- In order to ensure that your vehicle is safe and reliable, please choose Foton Aumark auto parts and lubricating oil, esp. air, oil, and fuel filters and their elements.

For the information on Foton Aumark service outlets, see the foldout. When you need service, please contact your local service location.

In addition, you can send emails to the public email address: customer@foton.com.cn, We welcome your comments and suggestions on our service work

Part II Basic information VEHICLE DATA

VIN															
Motor model								Battery model							
Vehicle model															
Type												Color			

Delivery date: :

LTD (seal)

Vehicle handover documents

Vehicle handover

Delivery specifications from our authorized dealers

The authorized dealers have to stamp the official seal in the delivery examination certificate shown below:

Completed form before delivery:	Seal from our authorized dealer:
Delivery date:	
First Time Service : Mileage: Date:	

Before handover, vehicle has to be inspected according to company regulations. Therefore, you could enjoy

yourself in the driving pleasure.

Hint: The replacement period of timing belt is dependent on the engine type. For the replacement matters of timing belt, please consult our authorized dealers.

Type:
License plate:
VIN (chassis No.):
Initial registration or delivery date:
Our authorized dealer for this vehicle:
Service manager:
Phone:

All documents and keys are received and confirmed by owners		
On-board items delivered below:	Yes	No
On-board documents (including: Operational Manual, Product Certificate, Maintenance Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1 th key	<input type="checkbox"/>	<input type="checkbox"/>
2 th key	<input type="checkbox"/>	<input type="checkbox"/>

All keys have been verified correct.	<input type="checkbox"/>	<input type="checkbox"/>
Address:	Date:	
Signature of owner:		

Part III Introduction to Foton Service System

Our company has set up a complete set of effective service network worldwide, aiming to provide effective, reasonable and timely service.

In our company, after-sale service network is composed of hundreds of authorized dealers, each of which is equipped with advanced maintenance tools, equipments and spare parts, as well as specially trained servicemen and sufficient original spare parts and attachments. . In addition, our dealers follow the leading technical and management system approved by our company, so as to provide service to our customers. Mastering the latest technical trends and ensuring the effective, reasonable and timely completion of maintenance, our dealers could keep your vehicle under good technical conditions and in line with traffic rules, so as to ensure vehicle reliability and its value unchanged.


In addition, our authorized dealers can also provide you with additional maintenance such as maintenance of exhaust and brake systems.

Before maintenance, our dealers will carry out comprehensive diagnosis on vehicle to check which items need to be serviced and then inform you of maintenance items, cost and estimated duration. In addition, our company has complete quality control system and warranty provisions and could grant quality warranty to new vehicle owner for free under the normal service conditions (go to page 9). In case of quality problems, you could file a claim to our authorized dealers.

As our dealers are ready at any time to provide quality and effective service, please make full use of they provided service!

Part IV Safety Precautions

You are responsible for regular maintenance during the use of the Vehicle. Vehicle fluid and wear parts, such as tires, battery, are in constant development and should be replaced by our authorized dealers, as they are familiar with their latest development trend. . Therefore, in order to keep your vehicle under the good technical state, please go to the authorized dealer for replacement of vehicle fluid and wear parts.

**Warning**

Failure to maintenance vehicle may lead to vehicle failures in traveling or even personal casualty!

- It is a must to periodically go to the authorized dealer for maintenance of vehicle.
- Do follow this Operational Manual for use of your vehicle.



- Vehicle failures resulted from the followings are out of quality warranty: use of inferior fuel, failure to maintenance by rule, failure to use the genuine parts
- The leaked fluid could pollute environment and should be cleared away timely.
- Leaked or used vehicle fluid should be correctly collected and disposed according to the environmental rules.
- Correct maintenance could keep vehicle not only under good technical state, also in line with traffic rules. Therefore, it is a must to follow the Maintenance Manual for periodic maintenance of vehicle.

Part V Warranty Policies and Ranges

Brand	Warranty period and mileage	Range of warranty
Applicable model: e AUMAN	The EIC system: Chassis:	Complete vehicle, except for special parts
<p>Special illustration:</p> <p>1. Glass: In 6 months or 10000km dating from purchase day, glass quality problems resulted from material and production process, such as discoloring, optical distortion, bubbles or lamination, are in warranty.</p> <p>2. Rubbers and plastics: In 6 months or 10000km dating from purchase day under normal use of vehicle, , the rubbers (seal rings, washers, O-rings and others) and the plastics (such as trims) are in warranty if their problems are confirmed to be of their quality.</p> <p>3. Tires: In 6 months or 10000km dating from purchase day under normal use of vehicle, any quality problems occurring to tires, such as bump, crack, lamination, are in warranty. Out of tire quality problems, service provider should submit an application and then Foton will</p>		

coordinate with manufacturer for solution.

4. Battery:

In 6 months or 10000km dating from purchase day under normal use of vehicle, any quality problems occurring to battery are in warranty.

5. Warranty period of A/C and heater motor is one year (A/C condenser, evaporator, compressor, reservoir - drier, expansion valve)

6. Parts out of warranty

Normal wear parts: brake shoes, friction lining of clutch

Consuming parts: wiper, bulbs, fuse sheet (tube), all kinds of filter elements.

Fluid: oil, fuel, grease, coolant and battery electrolyte;

Among KD assemblies, localized parts

7. The EIC system:

Vehicle management system, power battery pack, PEU, VCU, driving motor, driving motor controller, high-voltage wiring, high-voltage central electrical box (contains DCDC, DCAC, high-voltage distribution), GPRS, electric water pump, electric vacuum pump, electric steering pump, electric transmission controller

Remark: warranty dates from the purchase day and is calculated by time or mileage, whichever comes first.

Responsible scope

Except otherwise stipulated by national laws and rules, any defect could be solved by repair or replacement.. Warranty and Maintenance Manual and User's Manual clearly define the liability of quality assurance, after-sale service rights and interests between Foton and the User. Please carefully read the Warranty and Maintenance Manual and User's Manual before use of Foton vehicle. Your claim for compensation and the direct or indirect warranty application will not be received by the after-sale service center of FOTON in case of the abuse, ignorant or incorrect use of components, failure to follow the stipulated mileage / time interval for maintenance or any failure due to refitting or adding of parts. Normative and periodic maintenance is key to keep the vehicle at correct operational conditions, and failure to service your vehicle according to the requirements will make you lose your QA compensation.

Warranty scope



Repair scope

Repair scope refers to that the scope where vehicle defects are resulted from material and production process in warranty.



Repair cost

Any quality problems in warranty are free to solve, including spare part cost and labor cost.

Any damage due to accidents, incorrect use or replacement:

Failure to follow Foton Norms or failure to use the stipulated oil grade for maintenance.

Accidental impact, burn, stolen, frozen, destroy or shock.



Abuse of vehicle, such as traveling on steps, overloading, racing; for how to use vehicle correctly, refer to the user manuals.

Vehicle damage or failures resulted from retrofitting, adding or changing of parts are out of warranty.

Any damage due to abnormal use of vehicle, such as radioactive dust, stones, hail, flood, storm,

chemicals, sea water corrosion, are out of warranty.

Part VI Maintenance Regulation

■ Routine maintenance and inspection items

The user shall carry out routine inspection and maintenance of the vehicle according to the items in the following table to minimize the vehicle's fault rate and increase its use efficiency; otherwise, Foton Daimler will not bear any responsibility for any resulting faults.

Inspection item	Inspection contents	Inspection and maintenance method	Safety item	Function and performance item	Daily inspection Maintenance item	Monthly inspection Maintenance item
Steering system	Check the oil level of the steering gear.	Check	•			•
	Check and fasten all fixing bolts.	Check and fastening	•			•
	Check for aging and oil leakage of the power-assisted steering pipeline and joints.	Check	•		•	
	Check the steering straight tie rod and hoop and lubricate each ball head.	Check	•		•	

Inspection item	Inspection contents	Inspection and maintenance method	Safety item	Function and performance item	Daily inspection Maintenance item	Monthly inspection Maintenance item
Chassis	Check for oil leakage, gas leakage and water leakage of each part.	Check		•	•	
	Check for tire pressure and for uniform abrasion of tire.	Check		•	•	
	Check for fastening of exposed connecting bolts and nuts.	Check		•	•	
Cab	Check whether the steering wheel and steering linkage mechanism work normally.	Check		•	•	
	Check the safety belts.	Check		•	•	

Inspection item	Inspection contents	Inspection and maintenance method	Safety item	Function and performance item	Daily inspection Maintenance item	Monthly inspection Maintenance item
Electrical appliances and electrical control system	Check for the connection of each harness and electrical appliance connector.	Check		•	•	
	Check for fastening of battery power cord and ground wire.	Check		•	•	
	Check whether all lights work normally, including small lights, high and low beam lights, front and rear fog lights, left and right turn signal lights, hazard warning indicator lights, brake lights, indoor lights, etc.	Check	•		•	
	Check whether the indicator light in the instrument works normally.	Check		•	•	
	Check whether the windshield wiper system works normally, and add washing fluid.	Check		•	•	
	Self-check of the electrical control system of the engine	Power-on self-check		•	•	

Inspection item	Inspection contents	Inspection and maintenance method	Safety item	Function and performance item	Daily inspection Maintenance item	Monthly inspection Maintenance item
The EIC system	Be sure that the battery box is clean, sealed, and insulated	check	●		●	
	Battery management system performance testing and accuracy correction	check	●			●
	Secure the battery box connection bolts	check, fastening	●		●	
	Battery box connection Cable harness plug-in connection is reliably locked in place	check, fastening	●		●	
	Check whether the battery is damaged or deformed	check	●		●	
	Check whether the cable harness connected to the battery box is cracked or scratched	check	●		●	
	Check whether the protective cover of the AC/DC charging port is closed	check	●		●	

■ **Maintenance regulations**

Part VI	Maintenance Regulation	13-25
Part VII	Periodic Maintenance List	26-47
Part VIII	XXXX Service Network	48

Note: symbols in table: “I”: Inspect, clean up and amend or replace as necessary. A: Adjustment. R: Replacement. T: Tighten to specified torque. L: Lubrication.
Use the odometer count or the month count that expires first.

➤ **Three-electric system**

maintenance cycle: ×1000KM	5	10	20	30	40	50	60	70	80	90	100	110	120	Months
Controller (Failure Analysis)	I		I		I		I		I		I		I	Every 12 months
Controller housings, plug-ins	I		I		I		I		I		I		I	Every 12 months
Electrical wiring, connecting wires, etc	I		I		I		I		I		I		I	Every 12 months
The surface of the motor is clean	I		I		I		I		I		I		I	Every 12 months
Motor inlet and outlet, sensor cleaning	I		I		I		I		I		I		I	Every 12 months
Motor high-voltage wiring harness plug-in	I		I		I		I		I		I		I	Every 12 months

Motor mount mounting bolts	I		I		I		I		I		I		I	Every 12 months
Power battery maintenance	I				I				I				I	Every 12 months
Clean battery surface	I				I				I				I	Every 12 months
Power battery wiring harness plug-in	I		I		I		I		I		I		I	Every 12 months
Battery with bracket mounting bolts	I				I				I				I	Every 12 months
Housings, connectors	I		I		I		I		I		I		I	Every 12 months
Charging sockets	I		I		I		I		I		I		I	Every 12 months

➤ **Power attachments**

maintenance cycle: *1,000 KM	5	10	20	30	40	50	60	70	80	90	100	110	120	Months
Cooling system	I		I		I		I		I		I		I	Every

														12 months
Radiator coolant (antifreeze: glycol-based)	I				R				R				R	Every 24 months
Steering wheel clearance	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Loosening and damage to the steering mechanism	L	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Steering Fluid (ATF III)					R				R				R	Every 24 months
Front axle	I				I				I				I	Every 6 months
Toe-in of the front wheels	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months

														months
Steering kingpin and tie rod ball joint	L	L	L	L	L	L	L	L	L	L	L	L	L	Every 6 months
The clearance between the steering knuckle and the front axle	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Brake fluid	I	I	I	I	R	I	I	I	R	I	I	I	R	Every 6 months
Brake fluid leakage from the braking system	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Electro-Hydraulic Pump Moving Fluid (ATFILL.)	R	I	I	I	R	I	I	I	R	I	I	I	R	Every 24 months
Stroke and free stroke of the brake pedal	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Brake chamber push rod	I	I	I	I	I	I	I	I	I	I	I	I	I	Every

stroke														12 months
Parking brake switch	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Wear and damage to the ratchet mechanism	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Wear and clearance of friction linings and brake drums	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Wear pads of disc brakes and wear of brake discs	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Loosening and damage to the joints of pipes and hoses	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months

Wear and clearance of friction linings	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Wear and damage to the brake drums	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Functions of the control valve system	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Excessive wear and tear of the wheel brake cams	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Maintenance of the adjustment arm	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Parking brake cable	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Parking brake function	I	I	I	I	I	I	I	I	I	I	I	I	I	Every

														12 months
Parking brake lever travel	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Parking brake valve EPB function	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Electric air compressor function	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Desiccant in the air dryer (dryer cylinder)	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Air reservoir and drain valve	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months

Oil-free electric air compressor air filter	I	I	I	I	R	I	I	I	R	I	I	I	R	Every 12 months
Electric Air Compressor Fan Inspection / Cleaning	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Aging of shock absorber pads for electric air compressors	I				I				I				I	Every 24 months
The intake hose of the electric air compressor is broken	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
The exhaust pipe joint of the electric air compressor is loose	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
The electric air	I	I	I	I	I	I	I	I	I	I	I	I	I	Every

compressor is loosely wired														12 months
transmission shaft														
Universal joints, sliding splines, intermediate supports	I	L	L	L	L	L	L	L	L	L	L	L	L	Every 6 months
Loosening of connecting parts	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Suspension device														
Front and rear leaf spring pins	L	L	L	L	L	L	L	L	L	L	L	L	L	Every 6 months
Leaf spring U-bolts	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Damage to leaf springs	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Loosening and damage to mounting parts	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months

Oil leakage from shock absorbers	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
Loosening of shock absorber mounts	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months
wheels														
Damage to the roulette wheel	I		I		I		I		I		I		I	Every 12 months
Wheel bearing grease (front axle hub bearing unit: non-maintenance-free)	I	I	I	I	R	I	I	I	R	I	I	I	R	Every 6 months
Wheel correction	I				I				I				I	Every 12 months
Air pressure and damage to the tire	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 6 months

Rear														
Rear axle gear oil	R		I		R		I		R		I		R	Every 12 months
Battery device														
accumulator	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Heater system (defrost and defogging)	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months
Warm air dosing solution (antifreeze glycol-based)	I				R				R				R	Every 24 months
Air conditioning system	I	I	I	I	I	I	I	I	I	I	I	I	I	Every 12 months

other														
Lights, horns, windshields, wipers and scrubbers	I		I		I		I		I		I		I	Every 12 months
Bolts and nuts on the frame and body	I		I		I		I		I		I		I	Every 12 months

Note: 1. If the vehicle is stopped for a long time, it is recommended to charge before stopping, SOC is not less than 50%, and fully charged and discharged once every 2-3 months.

2, all boxes must be kept clean, no sundries and pollution, in case of accidental leakage.

3, low temperature in winter, if the vehicle is used for a long time after charging, the battery system can only be charged with small current, charging time will be extended, recommended winter

Timely charging after the end of the season driving can save charging time.

4. If the battery system alarm light on the instrument is on, contact the after-sales maintenance center in time.

5, do not remove the high and low pressure outlet and manual maintenance switch seal, do not remove the manual maintenance switch, in order to avoid electric shock.

The way the battery is charged

Quick charge (@25°C; SOC20-100%)	Charging current (A)	suncha:400
	Charging time (h)	≤2.5
Slow charge (@25°C; SOC20-100%)	Charging current (A)	Single gun:40
	Charging time (h)	≤13

■ Place and time limit for filling grease

Lubrication part	The interval mileage (×1000Km)												
	0	4	8	12	16	20	24	28	32	36	40	44	48
Front and rear leaf springs and lug pins	☆	★	★	★	★	★	★	★	★	★	★	★	★

Turn horizontal and straight tie rod ball pins	☆	★	★	★	★	★	★	★	★	★	★	★	★
Steering drive shaft cross shaft bearing	☆	★	★	★	★	★	★	★	★	★	★	★	★
Steering shaft universal joint and sliding sleeve	☆	★	★	★	★	★	★	★	★	★	★	★	★
Wheel hub bearing				★			★			★			★
The vehicle door hinge							★						★

In the table: ☆- Running-in period lubrication items (running-in period maintenance mileage is 2000km), ★- normal running lubrication items.

Note: Grease should be regularly added to each part of the vehicle. Before adding grease, the lubrication nozzle and the required lubrication part should be cleaned first, and then the grease should be added. Wipe off the excess after filling. If there is a grease cap, please cover it as is.

■ **Periodic repair and maintenance cycles under harsh driving conditions**

A: A: Frequent short trips.

B: Driving on rough roads.

C: Driving on dusty roads.

D: Driving in severe cold season or on roads containing salt.

Items	Cycle	Conditions				
		A	B	C	D	A-D
Loose or damaged steering system	Check every 3,000 km		○			
Grease for universal joint and sliding sleeve	Check every 10,000 km		○			
Rear axle gear oil	Check every 20,000 km		○			
Friction disc and brake drum wear of drum brake	Check every 5,000 km	○	○	○		

■ **Specification and capacity of lubricating oil, coolant, brake fluid, washing fluid and refrigerant**

Items	Specifications (recommended)	Capacity	Note
Power steering	Hydraulic system oil ATF-III. -Q/SH 038.501	The single front axle is about 5 litres and the double front axle is about 6 litres	
Electric air compressor	Shell R6 10W-40, or can directly use Ruili electric	Add between the MAX and MIN lines as needed	

	air compressor special oil. (If you can't find the brand of engine oil, you can use the same engine oil)		
Cab tipping pump (2280mm body)	Low temperature anti-wear hydraulic oil L-HV32 GB11118.1	0.6 liters	
Front wheel bearings (each side)	Lithium-based grease for automotive applications	600g	
Intermediate support bearings for transmission shafts	No. 2 or No. 3 general purpose lithium grease	On-demand	
Transmission shaft sliding sleeve; Position of all grease fillers on the front axle and rear axle; Leaf spring pins	No. 2 or No. 3 general purpose lithium grease	On-demand	
General grease to the grease part	No. 2 general purpose lithium grease	On-demand	
Rear axle final reducer	GL-5 grade, 85W/90 Heavy Duty automotive gear oil	6t bridge: 5 liters; 7t bridge: 5.5 liters; 8t bridge: 7 liters;	

		9t bridge: 9 liters; 10t axle: 14.2 litres (main minus 12L wheels 1.1L each)	
Balancer shaft	With the exception of 153/457 Grease Lubrication for Balanced Shafts, the remaining balancing shaft lubricant is specified as 80W/90 (GL-5)Q/FT B146	The amount of oil used is about 1.8 litres per side (open the vent when refueling until the oil level is level with the filler hole, and there will be an oil overflow)	

Part VII Periodic Maintenance List

■ Periodic Maintenance List

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider: Date: Year month day	
XXXXXXXX, LTD (seal)	
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider:	
Date:	Year month day
	XXXXXXXX, LTD (seal)
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider: Date: Year month day <div style="text-align: right;">XXXXXXXX, LTD (seal)</div>	
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider:	
Date:	Year month day XXXXXXXX, LTD (seal)
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider:	
Date:	Year month day
	XXXXXXXX, LTD (seal)
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider: Date: Year month day <div style="text-align: right;">XXXXXXXX, LTD (seal)</div>	
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider: Date: Year month day <div style="text-align: right;">XXXXXXXX, LTD (seal)</div>	
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider: Date: Year month day <div style="text-align: right;">XXXXXXXX, LTD (seal)</div>	
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider: Date: Year month day <div style="text-align: right;">XXXXXXXX, LTD (seal)</div>	
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider: Date: Year month day <div style="text-align: right;">XXXXXXXX, LTD (seal)</div>	
Note: this form should be filled out and torn off by XXXXXX FOTON Authorized dealers	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

■ **Periodic Maintenance List**

Maintenance date	
mileage	
Next maintenance agreement	
Maintenance date	
mileage	
Maintenance service provider:	
Date:	Year month day
	XXXXXXXX, LTD (seal)
■ Note: this form should be filled out and Periodic Maintenance List	
Maintenance date	

■ **Maintenance Proof**

Each time periodic maintenance is finished, Foton authorized service station has to fill out Periodic Maintenance Sheet, documenting your vehicle has been serviced necessarily by rule, which becomes one of important claim in warranty.

S/N	Maintenance Items	Inspection	Replacement	Remarks
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
		<input type="checkbox"/>	<input type="checkbox"/>	
Hint: Maintenance mileage at this time				

Part VIII XXXX Service Network

Service Network					
S/N	City	Name of service station	Address	Rescue phone	Website